EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(US-20030224823-$ or US-20030054810-$ or US-20020058494-$ or US-20030123669-$ or US-20030166398-$).did. or (US-6751731-$ or US-6694431-$ or US-6741848-$ or US-5864757-$ or US-6157941-$ or US-6252868-$ or US-6934391-$ or US-6526027-$ or US-5222137-$ or US-6993359-$ or US-6539237-$).did. or (GB-2384392-$ or WO-3003772-$ or WO-9856201-$).did. or (GB-2367933-$ or WO-200049766-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 14:58
L2	38	l1 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:17
L3	15	(IMEI near10 key$5 near10 encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:06
L4	2	(SMS and IMEI) near10 (key$5 near10 (encrypt$5 or authenti$6 or decryp$6 or secure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:16
L5	168	(SMS or IMEI) near10 key$5 near10 (encrypt$5 or authenti$6 or decryp$6 or secure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:17
L6	96	l5 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:29

L7	29	((SMS or IMEI) near10 key$5 near10 (encrypt$5 or authenti$6 or decryp$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:28
L8	12	l7 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:18
L9	30	(((SMS or IMEI) with key$5) near10 (encrypt$5 or authenti$6 or decryp$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:35
L10	13	l9 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:51
L11	2	SMS ((IMEI near2 key$5) near10 (encrypt$5 or authenti$6 or decryp$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:36
L12	2	(SMS and ((IMEI near2 key$5) near10 (encrypt$5 or authenti$6 or decryp$6 or secure))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:37
L13	2	(SMS and ((IMEI near5 key$5) near10 (encrypt$5 or authenti$6 or decryp$6 or secure))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:37
L14	2	(SMS and ((IMEI near10 key$5) near10 (encrypt$5 or authenti$6 or decryp$6 or secure))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:48

EAST Search History

L15	0	(SMS IMEI key$5 (encrypt$5 or authenti$6 or decryp$6 or secure)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:49
L16	2	(SMS IMEI key$5 (encrypt$5 or authenti$6 or decryp$6 or secure)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:50
L17	228	(SMS IMEI key$5 (encrypt$5 or authenti$6 or decryp$6 or secure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:50
L18	7	(SMS (IMEI near2 key$5) (encrypt$5 or authenti$6 or decryp$6 or secure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:58
L19	1	l18 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 16:00
L20	6	l18 not l19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 15:56
L21	9	((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEI) key$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/16 16:03
L22	7	l21 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 16:05

EAST Search History

L23	2	I21 not I22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 16:01
L24	186	((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEI) key$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 16:03
L25	177	I24 not I21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 16:04
L26	53	I25 (encrypt$5 or authenti$6 or decryp$6 or secure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 16:04
L27	25	I26 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 17:50
L28	40	("5227957" | "5276906" | "5278890" | "5285494" | "5289179" | "5345498" | "5414750" | "5414806" | "5420863" | "5440613" | "5440759" | "5465386" | "5490285" | "5519760" | "5539730" | "5548802" | "5561841" | "5572579" | "5574788" | "5577198" | "5581596" | "5590398" | "5592480" | "5608854" | "5610969" | "5613196" | "5629978" | "5655001" | "5666356" | "5711006" | "5729536" | "5752186" | "5845211" | "5878036" | "5920822" | "5946634" | "5953331" | "6188898" | "6278697" | "H001921").PN. OR ("6912230").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/16 17:01

L29	12	(US-20030236981-$ or US-20040030906-$ or US-20030123669-$ or US-20010039620-$).did. or (US-6934391-$ or US-6707915-$ or US-6741848-$ or US-6912230-$ or US-5920822-$).did. or (US-20030123669-$ or FR-2812510-$ or KR-2003023117-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/03/16 17:44
L30	4	l1 l29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 17:45
L31	46	l1 l29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 17:45
L32	9	Wireles$5 Equipmen$5 Identif$7 Internation$5 Mobil$5 IMEI Short$4 Messag$4 Servic$4 SMS Informat$5 field$2 Text$2 network$2 devic$3 encrypt$5 Key$2 GSM configure$7 comman$5 heade$3 encrypt$5 authenti$6 decryp$6 secure Subscrib$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:24
L33	25	l27 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:23
L34	3	l32 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 17:50
L35	44	l31 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:24

EAST Search History

L36	11	I35 IMEI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:25
L37	11	I36 KEY$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:26
L38	11	I36 encrypt$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:26
L39	9	I36 SMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:27
L40	9	I36 SMS IMEI KEY$2 ENCRYPT$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 18:58
L41	35	L35 NOT L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 19:34
L42	9	(US-20030224823-$ or US-20010039620-$ or US-20030123669-$).did. or (US-6539237-$ or US-6741848-$ or US-6993359-$).did. or (GB-2384392-$).did. or (US-5864757-$ or US-6993359-$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2006/03/16 19:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1286	(Wireles$5 near5 Termina$5 near5 Equipmen$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:49
S2	4245	(Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:51
S3	11162	(Short$4 near5 Messag$4 near5 Servic$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:54
S4	22505	(Short$4 near5 Messag$4 near5 Servic$4) or (SMS Messag$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 19:57
S5	19	S1 S2 S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:07
S6	3	S5 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:45
S7	3	S6 encrypt$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:03
S8	2	S7 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:04

EAST Search History

S9	2	S7 encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON.	2006/03/15 20:05
S10	2	S5 S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:11
S11	17	S5 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:07
S12	11214	(Short$4 near5 Messag$4 near5 Servic$4) or (SMS Messag$4) (Share$4 near3 Key$2) (Informat$5 Data$2 field$2) (Text$2 Data$2 Field$2) (Wireless$5 network$2) (Mobile$2 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:09
S13	98	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS Messag$4)) (Share$4 near3 Key$2) (Informat$5 Data$2 field$2) (Text$2 Data$2 Field$2) (Wireless$5 network$2) (Mobile$2 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:13
S14	1247	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:09
S15	3	S13 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:09
S16	2	S15 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:30

EAST Search History

S17	2	S5 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:12
S18	2	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (Share$4 near3 Key$2) (Informat$5 near5 Data$2 near5 field$2) (Text$2 near5 Data$2 near5 Field$2) (Wireless$5 near3 network$2) (Mobile$2 near3 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:12
S19	7	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (Informat$5 near5 Data$2 near5 field$2) (Text$2 near5 Data$2 near5 Field$2) (Wireless$5 near3 network$2) (Mobile$2 near3 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:19
S20	0	S19 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:15
S21	1	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (SMS near4 configurat$5) (TP-User$2) ((GSM or GPRS or (SMS near Center))) (Wireless$5 near3 network$2) (Mobile$2 near3 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:22
S22	1	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (SMS near4 configurat$5) (TP near5 User$2) ((GSM or GPRS or (SMS near Center))) (Wireless$5 near3 network$2) (Mobile$2 near3 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:22
S23	3	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (SMS near4 configurat$5) ((GSM or GPRS or (SMS near Center))) (Wireless$5 near3 network$2) (Mobile$2 near3 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:29

S24	4	"615941".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:26
S25	2	"6157941".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:27
S26	9	((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (SMS near4 configurat$5) ((GSM or GPRS or (SMS near Center))) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:29
S27	3	S26 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:39
S28	0	((Wireless$5 or Mobile$2) SMS encrypt$5 Key$2).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:39
S29	19	((Wireless$5 or Mobile$2) SMS encrypt$5 Key$2).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:44
S30	9	S29 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:45
S31	19	((Wireless$5 or Mobile$2) (SMS or (Secure$3 near$3 messag$3)) encrypt$5 Key$2).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:45

EAST Search History

S32	9	S31 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:17
S33	0	S30 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 20:46
S34	14	(US-20030054810-$ or US-20030123669-$).did. or (US-6751731-$ or US-6694431-$ or US-6539237-$ or US-6993359-$ or US-6157941-$ or US-6252868-$ or US-6934391-$).did. or (WO-9856201-$ or WO-3003772-$ or GB-2384392-$).did. or (WO-200049766-$ or GB-2367933-$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2006/03/15 21:05
S35	2	(Wireles$5 near5 Termina$5 near5 Equipmen$5) ((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEM) ((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) (Informat$5 near5 field$2) (Text$2 near5 Field$2) (Wireless$5 near5 network$2) (Mobile$2 near5 devic$3) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:16
S36	8	(Wireles$5 near5 Termina$5 near5 Equipmen$5) ((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEM) ((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) ((Informat$5 or Text$2) near5 field$2) ((Wireless$5 near5 network$2) or (Mobile$2 near5 devic$3)) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:17

S37	8	(Wireles$5 near5 Termina$5 near5 Equipmen$5) ((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEM) ((Short$4 near5 Messag$4 near5 Servic$4) or (SMS near3 Messag$4)) ((Informat$5 or Text$2) near5 field$2) ((Wireless$5 near5 network$2) or (Mobile$2 near5 devic$3) or GSM or GPRS) encrypt$5 Key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:18
S38	2	S37 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:17
S39	6	S37 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/15 21:18
S40	19	("5329619" | "5410543" | "5850517").PN. OR ("6157941"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/15 21:21
S41	12	("5081704" | "5222137").PN. OR ("6252868").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/15 21:24
S42	36	("5602843" | "5796729" | "5822309" | "5970059" | "5978386" | "5978672" | "5999813" | "6396820" | "6415151").PN. OR ("6539237"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/15 21:27
S43	1647	SMS near3 (configure$7 or instruct$5 or comman$5 or UDHI or heade$3 or TP-User$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil$3 near2 devic$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:42

S44	1992	GSM (Text$3 near2 messag$5) SMS or (Short$3 near4 messag$4 near$ Servic$3) SMS near3 (configure$7 or instruct$5 or comman$5 or UDHI or heade$3 or TP-User$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil$3 near2 devic$3)) ((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEI) (Encrypt$5 near3 SMS near3 messag$5) (IMEI near4 key$5 near4 encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:58
S45	851	S44 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:49
S46	2	(Encrypt$5 with SMS with messag$5) (IMEI with key$5 with encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:49
S47	6	(Encrypt$5 same SMS same messag$5) (IMEI same key$5 same encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:49
S48	1	S47 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:57
S49	1	(Encrypt$5 near3 SMS near3 messag$5) (IMEI near4 key$5 near4 encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:57
S50	0	S49 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 12:00

S51	1	GSM (Text$3 near2 messag$5) (SMS or (Short$3 near4 messag$4 near$ Servic$3)) (SMS near3 (configure$7 or instruct$5 or comman$5 or UDHI or heade$3 or TP-User$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil$3 near2 devic$3))) ((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEI) (Encrypt$5 near3 SMS near3 messag$5) (IMEI near4 key$5 near4 encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:59
S52	30	GSM (Text$3 near2 messag$5) (SMS or (Short$3 near4 messag$4 near$ Servic$3)) (SMS near3 (configure$7 or instruct$5 or comman$5 or UDHI or heade$3 or TP-User$2 or (transfer-layer near3 protocol near3 user near2 data) or (mobil$3 near2 devic$3))) ((Equipmen$5 near5 Identif$7 near5 Numbe$5) or (Internation$5 near6 Mobil$5 near6 Equipmen$5 near6 Identit$5) or IMEI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 11:59
S53	9	S52 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 13:53
S54	0	S53 (IMEI near10 key$5 near10 encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 12:01
S55	15	(IMEI near10 key$5 near10 encrypt$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 13:51
S56	8	S55 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 12:01

EAST Search History

S57	0	(IMEI key$5 (encrypt$5 or decrypt$5 or Authenticat$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/16 13:53
S58	0	(IMEI key$5 (encrypt$5 or decrypt$5 or Authenticat$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/03/16 13:53
S59	33	(IMEI key$5 (encrypt$5 or decrypt$5 or Authenticat$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/16 13:53
S60	13	S59 @ad<"20020620"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/16 13:54